

Reliable protection
for your plastic products

Functionalities:
Kafrit Group Antioxidants

Kafrit Group

Working together for the future of plastics.

Kafrit Group

Kafrit Group is a leading producer of Masterbatches and Compounds for the plastics industry and currently employs more than 1,000 people. In 2025, we achieved approx. 400 million USD turnover with an available capacity of more than 175,000 MT. Moreover, the company is active on a global scale and has set up production sites all over the world.

All of this began in 1973 when the company was founded in Israel. Since then, the company has grown primarily via acquisition.

Today, the Kafrit Group is a global network of leading plastics additive, color masterbatch and compound manufacturers, operating production and development sites in Israel, Germany, China, the USA, Canada, Sweden and India.

Its companies include **Kafrit Industries (1993) Ltd. in Israel, CONSTAB Polyolefin Additives GmbH, Delta Kunststoffe AG and Finke Colors GmbH in Germany, China's Suzhou Constab Engineering Plastics Co. Ltd., Polyfil Inc. and Badger Color Concentrates Inc. in the USA, the Canada-based Kafrit NA Ltd. and ABSA Resin Technologies Inc., Addvanze AB in Sweden, CONSTAB Polyolefin Additives India Pvt. Ltd. and 51 % of Plastics App Ltd.in Israel.**

With more than 50 years of experience in the plastics processing industry, we can draw on high levels of expertise and technical know-how. Kafrit Group follows a publicly available sustainability agenda and has made it to one of the cornerstones of our corporate strategy.

Our unbridled dedication to quality and technology makes us to one of the leading business partners in the plastics industry. Our customers value our passion and appreciate our commitment. Moreover, they recognize our world leading services and consider our products as among the best within our industry.

We develop and produce cost-efficient solutions which will enhance the completion of high-quality end products in many areas of the plastics industry, such as packaging films (BOPP, BOPE, CPP, PE), PC sheet, agricultural films and derivatives, biopolymers, flame retardant applications, PEX, pipes, fibers and nonwovens.

- KAFRIT IL 1
- KAFRIT NA 2
- POLYFIL USA 3
- CONSTAB GER 4
- CONSTAB CN 5
- ADDVANZE SWE 6
- DELTA KUNSTSTOFFE GER 7
- ABSA RESINS CAN 8
- BADGER COLOR USA 9
- CONSTAB IND 10
- Finke 11
- PLASTICS-APP 12

Unite talent and technology to drive the future of plastics, together.

This purpose is the driving force of our organization. The reason we do what we do, why we come to work every day. And although our group is made of many different companies around the world, our purpose unites us.

These three pillars support our purpose

TOGETHER TO THE FUTURE

The world doesn't stand still, and nor do we. We're always looking ahead, searching for new ways to grow and thrive. To push our technology and keep working on the next generation of solutions to benefit our customers. Working together in perfect synergy to achieve something great, today and tomorrow.

TALENT

Around the world, we have hundreds of talented colleagues and partners. All with unique skills, multidisciplinary knowledge, and deep industry experience. Innovators with brilliant ideas and the drive to see them through. People striving for excellence in everything they do.

TECHNOLOGY

After decades in the plastics industry, we have more than high levels of expertise, a strong focus on customer service, and vast technical knowledge. We also have a burning passion for innovation and transformation. A passion that drives us to seek out new solutions, new machinery, and fresh ways to give our customers just what they need.

Together we have the power to drive the future of plastics – within our community and around the world. And we'll keep doing it, today, tomorrow and always.

But the real magic happens when we work together. There's a spark, an energy. A belief that anything is possible. And that's how we provide the best solutions for our customers.

And with the latest technology in our hands and new innovations within our grasp, there's only one question. How far can we go?

Experience the new high performance products

Research that takes us to the top

Throughout our company history, research and development has always been a key area of our expertise. Kafrit Group employs a staff of more than 1,000 people who work on innovative products and make use of our vast pool of knowledge developed over 50 years in the plastics industry. Our experts optimize and develop additive concentrates, flame retardants, color concentrates, and compounds for various applications.

Kafrit Group enjoys a close partnership with renowned research institutions such as the Shenkar University in Israel and various universities in Germany. Moreover, we maintain a strong co-operation with well-known suppliers including machine manufacturers who recommend our products for use in combination with their machines.

Antioxidants

Oxidation is a chemical reaction that transfers electrons or hydrogen from a substance to an oxidizing agent. Oxidation reactions produce free radicals, these radicals start chain reactions. **Antioxidants terminate these chain reactions by removing free radicals, and delay other oxidation reactions.** They do this by being oxidized themselves.

Phenols

- Function as primary antioxidants
  Radical scavengers or chain terminators which trap Alkoxy (RO*) and Peroxy radicals (ROO*).
- Reaction results in Hydroperoxides formation (ROOH) – can lead to further degradation unless secondary AO is present.
- Effective during both – processing and long term heat aging.

Phosphites

- Act as secondary antioxidants – Hydroperoxides decomposer.
- Often used in combination with a primary antioxidant.
- Provide stabilization only at melt processing temperatures.

AO effects

Gels and contaminants in extrusion can cause disruption in the extrusion process and quality problems. Main reasons for gels:

- Cross-linked Polymer Gels
- Unmelted resin
- Undispersed additives
- Moisture
- Recycled material – degraded or cross-linked polymer residues

OIT

The Oxidation Induction Time (OIT) test, as carried out in a Differential Scanning Calorimetry (DSC), is used to predict thermo-oxidative performance of a material.

Samples are heated up under a nitrogen atmosphere, typically to 200°C. Oxygen is then introduced to the sample cell, and the length of time before the onset of degradation, as seen by the initiation of an endothermic process in the DSC trace, is measured.

OIT is a sensitive measure of the level of anti-oxidative additives within the polymer.

Kafrit Group stabilizer masterbatches reliably protect the polymer structure of your plastic products

PE and PP are degraded by heat and shear during processing. Most imminent are changes in melt viscosity (MFR) and die deposits (die build-up). Typical quality failures, especially during machine cleaning and shut-down/start-up cycles, are discolorations, black specs and gels.

Depending on processing parameters the rate of degradation is worse at higher melt temperatures, longer residence times and higher shear rates along with higher output rates. The degradation is further accelerated by air (oxygen, powder) and humidity (hygroscopy, recycle).

However, the plastic part continues to disintegrate during end usage by elevated temperatures (>50°C) or radiation (UV-light, sterilization): discolorations and loss in physical properties are the most common failures.

Kafrit Group stabilizer masterbatches contain the most advanced antioxidant technology to suppress degradation in your PE and PP applications. Please contact your sales representative to find a product solution that exactly matches your requirements.

Polymers to be stabilized:

PE, LDPE, EVA, HDPE, LLDPE, C4/C6/C8, metallocene/ZN
PP, PP-homo, PP-copo, PP-random, PP-terpolymer

Processing method:

Film and sheet extrusion
Injection and extrusion blow molding
Melt processing in general

Food contact:

European Union – EU
U.S. Food and Drug Administration – FDA

Typical dosage levels:

Melt processing of virgin polymers: 0.5% – 1.0%
Melt processing of recycle: 2.0% – 3.0%

Machine weekend shut downs:

5% up to 10%

Product	Reworks & Recycling	Processing Stability	Avoid Gel Formation	Black Spec Elimination	Long Term Heat Stability (LTHS)		Oxydative Induction Time (OIT)	Dosing %	Main Product Feature

1. Polyethylene

1.1 Antioxidants for Agricultural Film

ST 04400 LL	++	+++	+++	+	+		+	1.0 – 5.0	Heat stability and improved process stabilization in combination with UV-stabilization.
ST 0C010 LD	+	+++	+++	++	+		+	1.0 – 5.0	Excellent for process stabilization of HDPE monofilaments and slit tapes.

1.2 Antioxidants for Industrial and Food Packaging Film

ST 03001 LD	-	-	-	-	++		++	1.0 – 3.0	Long term heat stability without synergist: i.e. industrial and food packaging films.
ST 03003 LD	+++	++	++	++	+++		+++	0.5 – 1.5 up to 10	Resistant against hydrolysis and water extraction: i.e. water pipes, dishwashers, washing machines. Stabilization during: week end shut down/start up procedures or flush cleaning of an extrusion line.
ST 03023 LD	-	-	-	+	+++		+++	0.5 – 2.0	Long term heat stability: i.e. technical applications, automotive, injection molding.
ST 03040 LD	++	+++	+++	+++	-		0	1.0 – 3.0	Basic product for improved process stabilization: i.e. in combination with UV-stabilization.
ST 06341 LD	+++	++	++	++	+++		+++	1.0 – 5.0	Long term heat stability: i.e. technical applications, pipes.
ST 0A880 LL	+++	+++	+++	++	++		++	0.5 – 2.5	Improved heat stability: i.e. sterilization, pipes, injection molding.
ST 00S53 LL	++	+++	+++	+	-		-	1.0 – 6.0	Process stabilization without synergist: i.e. sensitive polymers, high melt temperatures.
ST 00015 LD	+	++	++	0	-		-	1.0 – 5.0	Same functionality as ST 00S53 LL, cost reduction masterbatch.

2. Polypropylene

2.1 Antioxidants for Industrial and Food Packaging Film

ST 03002 PP	-	-		-	+		+	1.0 -3.0	Long term heat stability without synergist: i.e. industrial and food packaging films.
ST 03003 PP	+++	++		++	+++		+++	0.5 – 1.5 up to 10	Resistant against hydrolysis and water extraction: i.e. water pipes, dishwashers, washing machines. Stabilization during: week end shut down / start up procedures or flush cleaning of an extrusion line.
ST 03200 PPR	++	-		0	+++		+++	1.0 – 5.0	Long term heat stability: i.e. technical applications, pipes.
ST 03022 PP	++	+++		++	+++		++	0.5 – 2.0	Resistant against gas fading, especially with PP fibers.
ST 03023 PP	-	-		+	+++		+++	0.5 – 2.0	Long term heat stability: i.e. technical applications, automotive, injection molding.
ST 0A880 PP	+++	+++		++	++		++	0.5 – 2.5	Improved heat stability: i.e. sterilization, pipes, injection molding.

COMBI BATCH

NEW!	**PA 00S08 LD**	Combination of Processing Aid and Antioxidant High processing or melt temperatures, die build-up reduction, reduced gel formation, for cast films and pipes.	0.5 – 2.5	Can eliminate degradation and die built-up: i.e. high melt temperatures.

Evaluation: excellent +++ recommended ++ good + basic 0 not recommended -

Kafrit Group

Please request for further information:

BOPP
Optimizing BOPP film production
with CONSTAB GER® Masterbatches and Compounds

BOPE
Innovative solutions for flexible packaging films
with CONSTAB GER® CON-X® Masterbatches

Functionalities: Ecocell® – Lighten up!
An innovative foaming agent
to reduce material and resin consumption

Flame Retardants
Enlightening solutions with Kafrit Group Masterbatches
and Compounds

Polyethylene Packaging, Polypropylene Cast and Calender Films
Rolling to success with Kafrit Group
Masterbatches and Compounds

Polycarbonate and PMMA Sheets
For a transparent view with Kafrit Masterbatches
and Compounds

Pipes and Sheets
Customized solutions with Kafrit Group
Masterbatches and Compounds

Injection Molding, Blow Molding
Injecting new ideas into your products with
Kafrit Group Masterbatches and Compounds

Nonwovens
Adding value to Fibers and Nonwovens
with Kafrit Group Masterbatches

Agricultural Film
Growing success with Kafrit Group
Masterbatches and Compounds

Color and additive masterbatches and conductive compounds made to measure
Customized solutions for your success

New approach to reclosable packaging
Extrudable reclosable adhesive

Global supply, local partnership:
We are where you are.

KAFRIT IL

Kafrit Industries (1993) Ltd.
Kibbutz Kfar-Aza
M.P. Negev, 8514200, Israel
Tel: +972 8 6809845 | Fax: +972 8 6809846
kafrit@kafrit.co.il | www.kafrit.com

CONSTAB GER

CONSTAB Polyolefin Additives GmbH
Industriestrasse Möhnetal 16
59602 Rüthen, Germany
Tel: +49 2952 8190 | Fax: +49 2952 3140
info@constab.com | www.constab.com

CONSTAB CN

Suzhou Constab Engineering Plastics Co., Ltd.
No. 999 Pangjin Road, Wujiang District
Suzhou City 215200, Jiangsu Province, P.R.C.
Tel: +86 512 63 33 16 54 | Fax: +86 512 63 33 69 87
info@constab.cn | www.constab.cn

KAFRIT NA

Kafrit NA Ltd.
5411-275th Street, Langley
British Columbia, Canada, V4W 3X8
Tel: +604 607 6730 | Fax: +604 607 6736
management@kafrit.ca | www.kafrit.ca

POLYFIL USA

Polyfil Inc.
74 Green Pond Road, P.O. Box 130
Rockaway, NJ 07866, USA
Tel: 973-627-4070 | Fax: 973-627-7344
info@polyfilinc.com | www.polyfilinc.com

ADDVANZE SWE

Addvanze AB
Makadamgatan 19
254 64 Helsingborg, Sweden
Tel: +46 42 445 33 00
info@addvanze.com | www.addvanze.com

DELTA KUNSTSTOFFE GER

Delta Kunststoffe AG
Industriestrasse 48
47652 Weeze, Germany
Tel: +49 28 37 1051-0 · Fax: +49 28 37 1051-810
info@delta-kunststoffe.de | www.delta-kunststoffe.de

ABSA RESINS CAN

ABSA Resin Technologies Inc.
310 Montrose Street
Cambridge, ON, Canada, N3H 2H8
Tel.: +1 519 653 5575

BADGER COLOR USA

Badger Color Concentrates Inc.
1007 Fox St.
Mukwonago WI 53149, USA
Tel.: +1 262 363 5710
www.badgercolor.com

CONSTAB IND

CONSTAB Polyolefin Additives India Pvt. Ltd.
T-7, STPI,MIDC, Chikalthana, Chhatrapati Sambhajinagar
431001, Maharashtra, India.
Tel.: +91 95035 39418
info@constab-india.com | www.constab-india.com

Finke

Finke Colors GmbH
Hatzfelder Straße 174 – 176
42281 Wuppertal, Germany
Tel.: +49 202 70906-0 · Fax: +49 202 70906-230
www.finke-colors.de

PLASTICS-APP
If you can imagine it, we can compound it.

Plastics App Ltd.
Kibbutz Megiddo
1923000, Israel
info@plastics-app.com
www. plastics-app.com

Legal Statement: The information and recommendations contained in this brochure are based upon data collected by Kafrit Group and believed to be correct. However, no warranty for fitness for use or any other guarantee of any kind, expressed or implied, is made with respect to the information and recommendations contained herein, and Kafrit Group assumes no responsibility for results of the use of products, processes, information and recommendations described herein. Specific recommendations and applications for specific products should be considered and pre-checked by the user to ensure compatibility with user's equipment and product requirements. **© CONSTAB GER 10.2026**

Printed on FSC®-certified paper – supporting responsible forest management